

Army Regulation 40–562
BUMEDINST 6230.15B
AFI 48–110_IP
CG COMDTINST M6230.4G

Medical Services

Immunizations and Chemoprophylaxis for the Prevention of Infectious Diseases

The information provided is an extract from **Army Regulation 40–562**, concerning the Immunization required for Service Academy Cadets and Midshipman.

Headquarters
Departments of the Army,
the Navy,
the Air Force,
and the Coast Guard
Washington, DC
7 October 2013

UNCLASSIFIED

Chapter 3 Personnel Subject to Immunization

3-1. Military accessions

a. Service Academy Cadets and Midshipman will require immunizations as follows:

(1) *First cluster.* Assess immunization or immunity status and administer immunizations, if susceptible, before or at the beginning of collective training to protect against pathogens that represent an imminent risk of contagious disease in settings of close contact. These immunizations include: influenza, meningococcal, MMR, tetanus-diphtheria-pertussis, and varicella. Ensure live virus vaccines are given on the same day or at least 28 days apart (see ACIP guidelines for exceptions).

(2) *Second cluster.* The second cluster of immunizations may be administered, if susceptible, in the first or second half of collective training to protect against travel and other military risks. These immunizations include hepatitis A, hepatitis B, influenza (if not administered in first cluster), and poliovirus. Live virus immunizations follow at least 28 days after earlier live virus immunizations (see ACIP guidelines for exceptions). Cadets and midshipmen who travel overseas as part of their training will receive immunizations according to geographic risk assessments.

D-2. Required immunizations

This table provides a listing of required immunizations for military personnel.

Table D-1
Immunizations for military personnel

Name of vaccine	Army	Navy	Air Force	Marine Corps	Coast Guard
Adenovirus ¹	Acc ²	Acc	Acc	Acc	Acc
Anthrax	Risk	Risk	Risk	Risk	Risk
Haemophilus influenzae type b	Risk	Risk	Risk	Risk	Risk
Hepatitis A	Acc, Rou ³	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou
Hepatitis B	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou
Influenza	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou
Japanese encephalitis	Risk ⁴	Risk	Risk	Risk	Risk
Measles, mumps, rubella	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou
Meningococcal	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou
Pneumococcal	Risk	Risk	Risk	Risk	Risk
Poliovirus ⁵	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou
Rabies	Risk	Risk	Risk	Risk	Risk
Smallpox (vaccinia)	Risk	Risk	Risk	Risk	Risk
Tetanus-diphtheria (preferably with pertussis vaccine)	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou
Typhoid fever	Risk	Risk	Risk	Risk	Risk
Varicella	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou	Acc, Rou
Yellow fever	Risk	Risk	Risk	Acc, Risk	Risk

Notes:

¹ Initial entry and basic training accessions only

² Acc=accessions

³ Rou=adult routine

⁴ Risk=special, risk-based, and occupational

⁵ Refer to paragraph 4-13.